

2 A particle  $P$  of mass 0.4 kg is in limiting equilibrium on a plane inclined at  $30^\circ$  to the horizontal.

(a) Show that the coefficient of friction between the particle and the plane is  $\frac{1}{3}\sqrt{3}$ . [3]

A force of magnitude 7.2 N is now applied to  $P$  directly up a line of greatest slope of the plane.

(b) Given that  $P$  starts from rest, find the time that it takes for  $P$  to move 1 m up the plane. [4]

4 A particle of mass 12 kg is stationary on a rough plane inclined at an angle of  $25^\circ$  to the horizontal. A force of magnitude  $P$  N acting parallel to a line of greatest slope of the plane is used to prevent the particle sliding down the plane. The coefficient of friction between the particle and the plane is 0.35.

(a) Draw a sketch showing the forces acting on the particle. [1]


(b) Find the least possible value of  $P$ . [5]

4 A particle of mass 12 kg is stationary on a rough plane inclined at an angle of  $25^\circ$  to the horizontal. A pulling force of magnitude  $P$  N acts at an angle of  $8^\circ$  above a line of greatest slope of the plane. This force is used to keep the particle in equilibrium. The coefficient of friction between the particle and the plane is 0.3.

Find the greatest possible value of  $P$ .

[6]

5




A particle of mass 0.6kg is placed on a rough plane which is inclined at an angle of  $35^\circ$  to the horizontal. The particle is kept in equilibrium by a horizontal force of magnitude  $P$  N acting in a vertical plane containing a line of greatest slope (see diagram). The coefficient of friction between the particle and plane is 0.4.

Find the least possible value of  $P$ .

[6]

5




A block of mass 12 kg is placed on a plane which is inclined at an angle of  $24^\circ$  to the horizontal. A light string, making an angle of  $36^\circ$  above a line of greatest slope, is attached to the block. The tension in the string is 65 N (see diagram). The coefficient of friction between the block and plane is  $\mu$ . The block is in limiting equilibrium and is on the point of sliding up the plane.

Find  $\mu$ .

[6]





A block of mass 8 kg is placed on a rough plane which is inclined at an angle of  $18^\circ$  to the horizontal. The block is pulled up the plane by a light string that makes an angle of  $26^\circ$  above a line of greatest slope. The tension in the string is  $T$  N (see diagram). The coefficient of friction between the block and plane is 0.65.

(a) The acceleration of the block is  $0.2 \text{ m s}^{-2}$ .

Find  $T$ .

[7]

**(b)** The block is initially at rest.

Find the distance travelled by the block during the fourth second of motion.

[2]

6 A block of mass 5 kg is placed on a plane inclined at  $30^\circ$  to the horizontal. The coefficient of friction between the block and the plane is  $\mu$ .

(a)




Fig. 6.1

When a force of magnitude 40 N is applied to the block, acting up the plane parallel to a line of greatest slope, the block begins to slide up the plane (see Fig. 6.1).

Show that  $\mu < \frac{1}{5}\sqrt{3}$ .

[4]

(b)





Fig. 6.2

When a force of magnitude 40 N is applied horizontally, in a vertical plane containing a line of greatest slope, the block does not move (see Fig. 6.2).

Show that, correct to 3 decimal places, the least possible value of  $\mu$  is 0.152.

[4]



A block  $B$ , of mass 2 kg, lies on a rough inclined plane sloping at  $30^\circ$  to the horizontal. A light rope, inclined at an angle of  $20^\circ$  above a line of greatest slope, is attached to  $B$ . The tension in the rope is  $T$  N. There is a friction force of  $FN$  acting on  $B$  (see diagram). The coefficient of friction between  $B$  and the plane is  $\mu$ .

(a) It is given that  $F = 5$  and that the acceleration of  $B$  up the plane is  $1.2 \text{ m s}^{-2}$ .

(i) Find the value of  $T$ .

[3]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(ii) Find the value of  $\mu$ .


[3]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(b) It is given instead that  $\mu = 0.8$  and  $T = 15$ .

Determine whether  $B$  will move up the plane.

[3]




Three points  $A$ ,  $B$  and  $C$  lie on a line of greatest slope of a plane inclined at an angle of  $30^\circ$  to the horizontal, with  $AB = 1$  m and  $BC = 1$  m, as shown in the diagram. A particle of mass  $0.2$  kg is released from rest at  $A$  and slides down the plane. The part of the plane from  $A$  to  $B$  is smooth. The part of the plane from  $B$  to  $C$  is rough, with coefficient of friction  $\mu$  between the plane and the particle.

(a) Given that  $\mu = \frac{1}{2}\sqrt{3}$ , find the speed of the particle at  $C$ . [8]

(b) Given instead that the particle comes to rest at  $C$ , find the exact value of  $\mu$ . [4]

3




A particle of mass 2.5 kg is held in equilibrium on a rough plane inclined at  $20^\circ$  to the horizontal by a force of magnitude  $T$  N making an angle of  $60^\circ$  with a line of greatest slope of the plane (see diagram). The coefficient of friction between the particle and the plane is 0.3.

Find the greatest and least possible values of  $T$ .

[8]





A particle  $P$  of mass 0.3 kg rests on a rough plane inclined at an angle  $\theta$  to the horizontal, where  $\sin \theta = \frac{7}{25}$ . A horizontal force of magnitude 4 N, acting in the vertical plane containing a line of greatest slope of the plane, is applied to  $P$  (see diagram). The particle is on the point of sliding up the plane.

(a) Show that the coefficient of friction between the particle and the plane is  $\frac{3}{4}$ . [4]

The force acting horizontally is replaced by a force of magnitude 4 N acting up the plane parallel to a line of greatest slope.

(b) Find the acceleration of  $P$ . [3]

(c) Starting with  $P$  at rest, the force of 4 N parallel to the plane acts for 3 seconds and is then removed.

Find the total distance travelled until  $P$  comes to instantaneous rest.

[3]