


- 1 The time taken, t minutes, to complete a puzzle was recorded for each of 150 students. These times are summarised in the table.

Time taken (t minutes)	$t \leq 25$	$t \leq 50$	$t \leq 75$	$t \leq 100$	$t \leq 150$	$t \leq 200$
Cumulative frequency	16	44	86	104	132	150

- (a) Draw a cumulative frequency graph to illustrate the data. [2]




- (b) Use your graph to estimate the 20th percentile of the data. [1]

.....

.....

1



The times taken by 120 children to complete a particular puzzle are represented in the cumulative frequency graph.

- (a) Use the graph to estimate the interquartile range of the data. [2]

.....

.....

.....

35% of the children took longer than T seconds to complete the puzzle.

- (b) Use the graph to estimate the value of T . [2]

.....

.....


.....

- 3 The times, t minutes, taken to complete a walking challenge by 250 members of a club are summarised in the table.

Time taken (t minutes)	$t \leq 20$	$t \leq 30$	$t \leq 35$	$t \leq 40$	$t \leq 50$	$t \leq 60$
Cumulative frequency	32	66	112	178	228	250

- (a) Draw a cumulative frequency graph to illustrate the data.

[2]



- (b) Use your graph to estimate the 60th percentile of the data.

[1]


.....

.....

.....

.....

- 1 The heights in cm of 160 sunflower plants were measured. The results are summarised on the following cumulative frequency curve.



- (a) Use the graph to estimate the number of plants with heights less than 100 cm. [1]

.....

.....

.....

.....

(b) Use the graph to estimate the 65th percentile of the distribution. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Use the graph to estimate the interquartile range of the heights of these plants. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

- 1 Each year the total number of hours, x , of sunshine in Kintoo is recorded during the month of June. The results for the last 60 years are summarised in the table.

x	$30 \leq x < 60$	$60 \leq x < 90$	$90 \leq x < 110$	$110 \leq x < 140$	$140 \leq x < 180$	$180 \leq x \leq 240$
Number of years	4	8	14	25	7	2

- (a) Draw a cumulative frequency graph to illustrate the data.

[3]



(b) Use your graph to estimate the 70th percentile of the data. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Calculate an estimate for the mean number of hours of sunshine in Kintoo during June over the last 60 years. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

- 5 A driver records the distance travelled in each of 150 journeys. These distances, correct to the nearest km, are summarised in the following table.

Distance (km)	0 – 4	5 – 10	11 – 20	21 – 30	31 – 40	41 – 60
Frequency	12	16	32	66	20	4

- (a) Draw a cumulative frequency graph to illustrate the data.

[4]




- 6 The times, t minutes, taken by 150 students to complete a particular challenge are summarised in the following cumulative frequency table.

Time taken (t minutes)	$t \leq 20$	$t \leq 30$	$t \leq 40$	$t \leq 60$	$t \leq 100$
Cumulative frequency	12	48	106	134	150

- (a) Draw a cumulative frequency graph to illustrate the data.


[2]



4 The weights, x kg, of 120 students in a sports college are recorded. The results are summarised in the following table.

Weight (x kg)	$x \leq 40$	$x \leq 60$	$x \leq 65$	$x \leq 70$	$x \leq 85$	$x \leq 100$
Cumulative frequency	0	14	38	60	106	120

(a) Draw a cumulative frequency graph to represent this information. [2]



(b) It is found that 35% of the students weigh more than W kg.
Use your graph to estimate the value of W . [2]

.....

.....

.....


.....

- 7 Helen measures the lengths of 150 fish of a certain species in a large pond. These lengths, correct to the nearest centimetre, are summarised in the following table.

Length (cm)	0 – 9	10 – 14	15 – 19	20 – 30
Frequency	15	48	66	21

- (a) Draw a cumulative frequency graph to illustrate the data.

[4]



- 7 The distances, x m, travelled to school by 140 children were recorded. The results are summarised in the table below.

Distance, x m	$x \leq 200$	$x \leq 300$	$x \leq 500$	$x \leq 900$	$x \leq 1200$	$x \leq 1600$
Cumulative frequency	16	46	88	122	134	140

- (a) On the grid, draw a cumulative frequency graph to represent these results. [2]

